

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Paint

Identified Uses

SU21

Consumer uses: Private households (= general public = consumers)

PC9a

Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Address

Marabu GmbH & Co. KG

Asperger Strasse 4

71732 Tamm

Germany

Telephone no. +49-7141/691-0

Fax no. +49-7141/691-147

Information provided by / telephone Department product safety

E-mail address of person responsible for this SDS PRSI@marabu.de

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

The product does not require a hazard warning label in accordance with Regulation (EC) No 1272/2008.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization

Paint based on acrylic resins and on water

Hazardous ingredients ***

Poly(oxy-1,2-ethanediyl),a-phenyl-w-hydroxy-, styrenated

CAS No. 104376-75-2

Concentration >= 1 < 10 %

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

Classification (Regulation (EC) No. 1272/2008)
Aquatic Chronic 3 H412

2,2'-Oxybisethanol

CAS No. 111-46-6
EINECS no. 203-872-2
Registration no. 01-2119457857-21
Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)
Acute Tox. 4 H302
STOT RE 2 H373

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

2,2'-Oxybisethanol

List	EH40				
Type	WEL				
Value	101	mg/m ³	23	ppm(V)	
Status:	2011				

Normal and branched chain alkanes, >=C7

List	EH40				
Value	1200	mg/m ³			

Cycloalkanes, >=C7

List	EH40				
Value	800	mg/m ³			
List	HTP				
Value			900	ppm(V)	
Short term exposure limit			1200		
Maximum limit value:	ppm				

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

2,2'-Oxybisethanol

Type of value	Derived No Effect Level (DNEL)				
Reference group	Worker				
Duration of exposure	Long term				
Route of exposure	inhalative				
Mode of action	Local effects				
Concentration	60			mg/m ³	

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	106	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	12	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	53	mg/kg/d

Predicted No Effect Concentration (PNEC)**2,2'-Oxybisethanol**

Type of value	PNEC	
Type	Freshwater	
Concentration	10	mg/l

Type of value	PNEC	
Type	Saltwater	
Concentration	1	mg/l

Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	10	mg/l

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	199,5	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	20,9	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	2,09	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	1,53	mg/kg

8.2. Exposure controls**Exposure controls**

Provide adequate ventilation.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid
Colour	coloured
Odour	odourless
Odour threshold	
Remarks	No data available
pH value	
Value	7 to 9
Temperature	20 °C
Method	WTW PH 340
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Value	appr. 100 °C
Pressure	1.013 hPa
Source	Literature value
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
Not applicable	
Upper/lower flammability or explosive limits	
Remarks	not determined
Vapour pressure	
Value	appr. 23 hPa
Temperature	20 °C
Method	Value taken from the literature
Vapour density	
Remarks	not determined
Density	
Value	1,240 g/cm ³
Temperature	20 °C
Method	DIN EN ISO 2811
Solubility in water	
Remarks	miscible
Ignition temperature	
Remarks	not determined
Viscosity	
dynamic	
Value	10000 to 25000 mPa.s
Temperature	20 °C
Method	Brookfield

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

ATE	>	2.000	mg/kg
Method		calculated value (Regulation (EC) No. 1272/2008)	

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and not classified.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details.

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

There are no data available on the mixture itself.

12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Label -

14.4. Packing group

Packing group -

14.5. Environmental hazards

-

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Subsidiary risk -

14.4. Packing group

Packing group -

14.5. Environmental hazards

no

Air transport ICAO/IATA

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Subsidiary risk -

14.4. Packing group

Packing group -

14.5. Environmental hazards

-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

no

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC ***

VOC (EU) 8,9 % 110,4 g/l

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure:

H412 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

STOT RE 2 Specific target organ toxicity - repeated exposure, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 046, 50 ml Marabu-Textil plus 046, 50 ml

Version: 5 / GB

Date revised: 09.07.2015

Substance number: 171505046

Replaces Version: 4 / GB

Print date: 13.07.15

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.
The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.