

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Paint

Identified Uses

SU21

Consumer uses: Private households (= general public = consumers)

PC9a

Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Address

Marabu GmbH & Co. KG

Asperger Strasse 4

71732 Tamm

Germany

Telephone no. +49-7141/691-0

Fax no. +49-7141/691-147

Information Department product safety

provided by /

telephone

E-mail address of PRSI@marabu.de

person

responsible for

this SDS

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

This product is not classified hazardous in accordance with EC directives.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

EUH208

Formaldehyde, May produce an allergic reaction.

Contains

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization

Paint based on acrylic resins and on water

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

Hazardous ingredients ***

2,2'-Oxybisethanol

| | | | | |
|------------------|------------------|---|----|---|
| CAS No. | 111-46-6 | | | |
| EINECS no. | 203-872-2 | | | |
| Registration no. | 01-2119457857-21 | | | |
| Concentration | >= 1 | < | 10 | % |
| Classification | Xn, R22 | | | |

Classification (Regulation (EC) No. 1272/2008)

| | |
|--------------|------|
| Acute Tox. 4 | H302 |
| STOT RE 2 | H373 |

Formaldehyde

| | | | | |
|------------------|--|---|-----|---|
| CAS No. | 50-00-0 | | | |
| EINECS no. | 200-001-8 | | | |
| Registration no. | 01-2119488953-20 | | | |
| Concentration | | < | 0,1 | % |
| Classification | Carc.Cat.3, R40 T, R23/24/25 C, R34 R43 | | | |

Classification (Regulation (EC) No. 1272/2008)

| | |
|---------------|------|
| Acute Tox. 3 | H331 |
| Acute Tox. 3 | H311 |
| Acute Tox. 3 | H301 |
| Skin Corr. 1B | H314 |
| Skin Sens. 1 | H317 |
| Carc. 2 | H351 |

Concentration limits (Regulation (EC) No. 1272/2008)

| | | |
|---------------|------|-----------|
| Skin Sens. 1 | H317 | >= 0,2 |
| STOT SE 3 | H335 | >= 5 |
| Skin Corr. 1B | H314 | >= 25 |
| Skin Irrit. 2 | H315 | <= 5 < 25 |
| Eye Irrit. 2 | H319 | <= 5 < 25 |

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment



Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

2,2'-Oxybisethanol

| | | | | | |
|-------|------|-------------------|----|--------|--|
| List | EH40 | | | | |
| Type | WEL | | | | |
| Value | 101 | mg/m ³ | 23 | ppm(V) | |

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

Status: 2011

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)**2,2'-Oxybisethanol**

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Local effects | |
| Concentration | 60 | mg/m ³ |

| | | |
|----------------------|--------------------------------|---------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |
| Mode of action | Systemic effects | |
| Concentration | 106 | mg/kg/d |

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Local effects | |
| Concentration | 12 | mg/m ³ |

| | | |
|----------------------|--------------------------------|---------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |
| Mode of action | Systemic effects | |
| Concentration | 53 | mg/kg/d |

Predicted No Effect Concentration (PNEC)**2,2'-Oxybisethanol**

| | | |
|---------------|------------|------|
| Type of value | PNEC | |
| Type | Freshwater | |
| Concentration | 10 | mg/l |

| | | |
|---------------|-----------|------|
| Type of value | PNEC | |
| Type | Saltwater | |
| Concentration | 1 | mg/l |

| | | |
|---------------|------------------------------|------|
| Type of value | PNEC | |
| Type | Water (intermittent release) | |
| Concentration | 10 | mg/l |

| | | |
|---------------|------------------------------|------|
| Type of value | PNEC | |
| Type | Sewage treatment plant (STP) | |
| Concentration | 199,5 | mg/l |

| | | |
|---------------|---------------------|-------|
| Type of value | PNEC | |
| Type | Freshwater sediment | |
| Concentration | 20,9 | mg/kg |

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

| | | | |
|---------------|-----------------|--|-------|
| Type of value | PNEC | | |
| Type | Marine sediment | | |
| Concentration | 2,09 | | mg/kg |
| Type of value | PNEC | | |
| Type | Soil | | |
| Concentration | 1,53 | | mg/kg |

8.2. Exposure controls**Exposure controls**

Provide adequate ventilation.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | | |
|---|---------------------------------|-----|-------------------|
| Form | liquid | | |
| Colour | coloured | | |
| Odour | odourless | | |
| Odour threshold | | | |
| Remarks | No data available | | |
| pH value | | | |
| Value | 7 | to | 9 |
| Temperature | 20 | °C | |
| Method | WTW PH 340 | | |
| Melting point | | | |
| Remarks | not determined | | |
| Freezing point | | | |
| Remarks | not determined | | |
| Initial boiling point and boiling range | | | |
| Value | appr. 100 | | °C |
| Pressure | 1.013 | hPa | |
| Source | Literature value | | |
| Flash point | | | |
| Remarks | Not applicable | | |
| Evaporation rate (ether = 1) : | | | |
| Remarks | not determined | | |
| Flammability (solid, gas) | | | |
| Not applicable | | | |
| Upper/lower flammability or explosive limits | | | |
| Remarks | not determined | | |
| Vapour pressure | | | |
| Value | appr. 23 | | hPa |
| Temperature | 20 | °C | |
| Method | Value taken from the literature | | |
| Vapour density | | | |
| Remarks | not determined | | |
| Density | | | |
| Value | 1,240 | | g/cm ³ |

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

Temperature 20 °C
Method DIN EN ISO 2811

Solubility in water

Remarks miscible

Ignition temperature

Remarks not determined

Viscosity

dynamic

Value 10000 to 25000 mPa.s
Temperature 20 °C
Method Brookfield

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

ATE > 2.000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and not classified.

SECTION 12: Ecological information

12.1. Toxicity

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

General information

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste. Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Label -

14.4. Packing group

Packing group -

14.5. Environmental hazards

-

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Subsidiary risk -

14.4. Packing group

Packing group -

14.5. Environmental hazards

no

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

Subsidiary risk -

14.4. Packing group

Packing group -

14.5. Environmental hazards

-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 9,12 % 113,1 g/l

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

R-phrases listed in Chapter 3

22 Harmful if swallowed.
65 Harmful: may cause lung damage if swallowed.
66 Repeated exposure may cause skin dryness or cracking.

Hazard statements listed in Chapter 3

H302 Harmful if swallowed.

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Marabu-Textil plus 090, 50 ml Marabu-Textil plus 090, 50 ml

Version: 4 / GB

Date revised: 26.01.2015

Substance number: 171505090

Replaces Version: 3 / GB

Print date: 17.02.15

H304

May be fatal if swallowed and enters airways.

H373

May cause damage to organs through prolonged or repeated exposure:

CLP categories listed in Chapter 3

Acute Tox. 4

Acute toxicity, Category 4

Asp. Tox. 1

Aspiration hazard, Category 1

STOT RE 2

Specific target organ toxicity - repeated exposure, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.